



EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	371	(73/862.23).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/06/12 12:19
L3	0	(torque near3 limit\$3 near3 tool). clm. and (bias near5 outward\$3). clm. and (handle near5 grip\$3 near3 user).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/06/12 12:20
L4	1	(torque near3 limit\$3 near3 tool). clm. and (bias near5 outward\$3). clm. and (handle).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/06/12 12:20
S3	47	(("0437965") or ("1876990") or ("2396040") or ("2410971") or ("2439980") or ("2491325") or ("2525379") or ("2768547") or ("2797564") or ("2933959") or ("2968979") or ("2984133") or ("3001430") or ("3292678") or ("3535958") or ("3890859") or ("4041811") or ("4063474") or ("4238978") or ("4249435") or ("4517865") or ("4774864") or ("4901610") or ("5123289") or ("5239875") or ("5337638") or ("5746298") or ("6095020") or ("6029551") or ("6155147") or ("6358152") or ("6361259")).PN.	USPAT; USOCR	OR	OFF	2005/07/29 15:45
S5	69	(81/480).CCLS.	USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/11 09:51
S6	41	(81/472).CCLS.	USPAT; USOCR; EPO; JPO	OR	OFF	2005/08/03 11:25
S7	113	(81/473).CCLS.	USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/11 09:50
S8	352	(81/467).CCLS.	USPAT; USOCR; EPO; JPO	OR	OFF	2005/08/03 11:23
S9	0	"09388720"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/01 16:15

EAST Search History

S10	14	"ludwig et al" and screwdriver	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/01 16:15
S11	1	("4655103").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/08/01 16:25
S12	264	(81/475).CCLS.	USPAT; USOCR; EPO; JPO	OR	OFF	2005/08/03 10:11
S13	5	("torque limiting tool").clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/03 10:11
S14	125	(81/480 81/472 81/473 81/467) and (inch or millimeter or centimeter or mm or cm)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/08/03 11:27
S15	34428	("screwdriver" "screw driver" "driver" "tool") with (torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/11 09:52
S16	12123	("screwdriver" "screw driver" "driver" "tool") with (torque with (limit\$4 maxim\$4 minim\$4 regulat\$4 control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/11 09:53
S17	23	(screwdriver with handle with spring with torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/11 10:04
S18	27571	torque near3 limit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/11 10:36
S19	1274	(torque near3 limit\$4) with tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/11 10:30
S20	738	(torque near3 limit\$4) with tool and spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/11 10:30

EAST Search History

S21	411	(torque near3 limit\$4) with tool and spring and (groove channel ridge trough)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/11 10:31
S23	141	(torque near3 limit\$4) and (bias near3 (axial\$4 longitudinal\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/11 10:38
S25	427	(torque near3 limit\$4) and (radial\$4 near3 displace\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/11 10:39
S26	10	S23 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/11 10:40
S27	705	(torque adj limit\$3) near3 (ratchet wrench driver screwdriver handle tool)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/03/01 18:51
S28	158	S27 and (plastic polymer\$3 polyurethane)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/03/01 18:52